# Issue Classification

| Application/Control No. | Applicant(s)/Patent Under Reexamination |
|---|---|
| 10823770 | KOYAMA ET AL. |
| **Examiner** | **Art Unit** |
| JUSTIN KRAUSE | 3656 |

| ORIGINAL | | INTERNATIONAL CLASSIFICATION | |
|---|---|---|---|
| CLASS | SUBCLASS | CLAIMED | NON-CLAIMED |
| 384 | 572 | F 1 6 C 33 / 48 (2006.01.01) | |
| CROSS REFERENCE(S) | | F 1 6 C 19 / 00 (2006.01.01) | |

| CLASS | SUBCLASS (ONE SUBCLASS PER BLOCK) | | | | |
|---|---|---|---|---|---|
| 384 | 450 | | | | |

☐ Claims renumbered in the same order as presented by applicant ☐ CPA ☐ T.D. ☐ R.1.47

| Final | Original | Final | Original | Final | Original | Final | Original | Final | Original | Final | Original | Final | Original | Final | Original |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 8 | 1 | | | | | | | | | | | | | | |
| 9 | 2 | | | | | | | | | | | | | | |
| 11 | 3 | | | | | | | | | | | | | | |
| 10 | 4 | | | | | | | | | | | | | | |
| 12 | 5 | | | | | | | | | | | | | | |
| 1 | 6 | | | | | | | | | | | | | | |
| 2 | 7 | | | | | | | | | | | | | | |
| 3 | 8 | | | | | | | | | | | | | | |
| 4 | 9 | | | | | | | | | | | | | | |
| 13 | 10 | | | | | | | | | | | | | | |
| 14 | 11 | | | | | | | | | | | | | | |
| 15 | 12 | | | | | | | | | | | | | | |
| 5 | 13 | | | | | | | | | | | | | | |
| 6 | 14 | | | | | | | | | | | | | | |
| 7 | 15 | | | | | | | | | | | | | | |

| | | |
|---|---|---|
| /JUSTIN KRAUSE/<br>Examiner.Art Unit 3656<br>(Assistant Examiner) | 5/18/09<br>(Date) | **Total Claims Allowed:**<br>15 |
| /Thomas R Hannon/<br>Primary Examiner.Art Unit 3656<br>(Primary Examiner) | 05/18/2009<br>(Date) | O.G. Print Claim(s): 1<br>O.G. Print Figure: 5 |